

レポート集計プログラムの改修

2013/08/02 17:56 - 山本 義治

ステータス:	終了	開始日:	2013/09/09
優先度:	高め	期日:	2013/10/17
担当者:	山本 義治	進捗 %:	100%
カテゴリ:	システム全般	予定工数:	20.00時間
対象バージョン:		作業時間の記録:	15.00時間
説明			
毎分cronで実行している集計プログラムの改修。 web1、web2で同時刻に同一案件のログがある場合、 同時に集計プログラムが実行され、stat_logテーブルのinsertが重複する 不具合の解消。			

履歴

#1 - 2013/08/02 18:16 - 山本 義治

- 期日を2013/08/22 にセット

- 開始日を2013/08/02 から2013/08/20 に変更

#2 - 2013/08/02 22:25 - Admin Redmine

- 期日を2013/08/22 から2013/08/28 に変更

- 開始日を2013/08/20 から2013/08/26 に変更

#3 - 2013/08/26 06:01 - 山本 義治

- カテゴリをシステム全般にセット

#4 - 2013/09/09 14:39 - 山本 義治

複数UNIQUEキーの作成

+

INSERT ON DUPLICATE KEY UPDATE

REPLACEだと重複行が削除されるので使わないように！

参考

<http://d.hatena.ne.jp/IT7C/20100715/1279148768>

<http://d.hatena.ne.jp/IwamotoTakashi/20080329/p1>

#5 - 2013/09/10 23:25 - 山本 義治

- 期日を2013/08/28 から2013/09/11 に変更

- 開始日を2013/08/26 から2013/09/09 に変更

- 進捗%を0から50に変更

- ・テスト環境web2へrsync 完了
- ・VPSにテスト用DB構築 完了
- ・重複insert再現テスト 再現されず

今後の方針

1) テスト環境のstat系phpを改修 (複合キー + INSERT IGNORE)

- 2) 本番のclick.phpにてクリックログファイルを書き出す際に、テスト環境へも同時にログファイル作成するようにする
- 3) 本番、テストで同時にstat系phpにて集計される
- 4) 本番で重複が発生したタイミングで、テスト環境での状況を確認
- 5) テスト環境で重複が確認されなければ、ソースを本番適用する

#6 - 2013/09/10 23:26 - 山本 義治

- 担当者を山本 義治 にセット

#7 - 2013/09/11 16:21 - 山本 義治

9/11(水)

[IGテスト環境:WEB1]

集計プログラムソース改修 (INSERT文にIGNOREを付ける)

該当ソース

stat.php

stat_asp.php

stat_listing.php

stat_am.php

stat_am_asp.php

stat_am_listing.php

stat_rs.php

stat_rs_asp.php

stat_rs_listing.php

[VPS:DB]

stat系テーブル定義変更(WHERE句の条件のカラムを全て複合UNIQUEキーに変更)

該当テーブル

stat_log_YYYYMM

stat_log_asp_YYYYMM

stat_log_media_YYYYMM

stat_log_client_YYYYMM

stat_log_listing_YYYYMM

stat_log_banner_YYYYMM

stat_log_client_YYYYMM

stat_log_item_YYYYMM

stat_log_shop_YYYYMM

stat_log_free_YYYYMM

#8 - 2013/09/12 00:49 - 山本 義治

複合ユニークキーの設定

```
alter table stat_log_201309 add unique(stat_date,m_id,c_id,item_id,p_id);
alter table stat_log_asp_201309 add unique(stat_date,asp_id,c_id,item_id,p_id);
alter table stat_log_media_201309 add unique(stat_date,m_id);
alter table stat_log_client_201309 add unique(stat_date,c_id);
alter table stat_log_listing_201309 add unique(stat_date,listing_id,c_id,keyword_id,p_id);
alter table stat_log_banner_201309 add unique(stat_date,c_id);
alter table stat_log_item_201309 add unique(stat_date,m_id,asp_id,c_id,item_id);
alter table stat_log_shop_201309 add unique(stat_date,m_id,c_id,shop_id);
```

stat_logテーブル関連影響範囲

macbook:aff haltyt\$ grep -R insert stat | grep stat_log

```
stat/stat.php:      $sql = "insert into stat_log_". $log_month." set
stat/stat.php:      $sql = "insert into stat_log_media_". $log_month." set
stat/stat.php:      $sql = "insert into stat_log_client_". $log_month." set
stat/stat.php:      $sql = "insert into stat_log_banner_". $log_month." set
stat/stat.php:      $sql = "insert into stat_log_item_". $log_month." set
stat/stat.php:      $sql = "insert into stat_log_shop_". $log_month." set
stat/stat_am.php:    $sql = "insert into stat_log_". $log_month." set
stat/stat_am.php:    $sql = "insert into stat_log_media_". $log_month." set
stat/stat_am.php:    $sql = "insert into stat_log_client_". $log_month." set
stat/stat_am.php:    $sql = "insert into stat_log_banner_". $log_month." set
stat/stat_am_asp.php: $sql = "insert into stat_log_asp_". $log_month." set
stat/stat_am_asp.php: $sql = "insert into stat_log_client_". $log_month." set
stat/stat_am_listing.php: $sql = "insert into stat_log_listing_". $log_month." set
stat/stat_am_listing.php: $sql = "insert into stat_log_client_". $log_month." set
stat/stat_asp.php:    $sql = "insert into stat_log_asp_". $log_month." set
stat/stat_asp.php:    $sql = "insert into stat_log_client_". $log_month." set
stat/stat_asp.php:    $sql = "insert into stat_log_banner_". $log_month." set
stat/stat_asp.php:    $sql = "insert into stat_log_item_". $log_month." set
stat/stat_asp_convert.php: $sql = "insert into stat_log_asp_". $log_month." set
stat/stat_asp_convert.php: $sql = "insert into stat_log_client_". $log_month." set
stat/stat_listing.php: $sql = "insert into stat_log_client_". $log_month." set
stat/stat_listing.php: $sql = "insert into stat_log_listing_". $log_month." set
stat/stat_rs.php:    $sql = "insert into stat_log_". $log_month." set
stat/stat_rs_asp.php: $sql = "insert into stat_log_asp_". $log_month." set
stat/stat_rs_listing.php: $sql = "insert into stat_log_listing_". $log_month." set
```

macbook:aff haltyt\$ grep -R INSERT stat | grep stat_log

```
stat/stat.php:      $sql_indirect = "INSERT INTO stat_log_". $log_month." set
stat/stat.php:      $sql_indirect = "INSERT INTO stat_log_asp_". $log_month." set
stat/stat.php:      $sql_indirect = "INSERT INTO stat_log_listing_". $log_month." set
stat/stat_asp.php:    $sql_indirect = "INSERT INTO stat_log_". $log_month." set
stat/stat_asp.php:    $sql_indirect = "INSERT INTO stat_log_asp_". $log_month." set
stat/stat_asp.php:    $sql_indirect = "INSERT INTO stat_log_listing_". $log_month." set
stat/stat_listing.php: $sql_indirect = "INSERT INTO stat_log_". $log_month." set
stat/stat_listing.php: $sql_indirect = "INSERT INTO stat_log_asp_". $log_month." set
stat/stat_listing.php: $sql_indirect = "INSERT INTO stat_log_listing_". $log_month." set
```

macbook:aff haltyt\$ grep -R update stat | grep stat_log

```
stat/stat.php:      $sql = "update stat_log_". $log_month." set
stat/stat.php:      $sql = "update stat_log_media_". $log_month." set
stat/stat.php:      $sql = "update stat_log_client_". $log_month." set
stat/stat.php:      $sql = "update stat_log_banner_". $log_month." set
stat/stat.php:      $sql = "update stat_log_item_". $log_month." set
stat/stat.php:      $sql = "update stat_log_shop_". $log_month." set
stat/stat_am.php:    $sql = "update stat_log_". $log_month." set
stat/stat_am.php:    $sql = "update stat_log_media_". $log_month." set
stat/stat_am.php:    $sql = "update stat_log_client_". $log_month." set
stat/stat_am.php:    $sql = "update stat_log_banner_". $log_month." set
stat/stat_am_asp.php: $sql = "update stat_log_asp_". $log_month." set
stat/stat_am_asp.php: $sql = "update stat_log_client_". $log_month." set
stat/stat_am_listing.php: $sql = "update stat_log_listing_". $log_month." set
stat/stat_am_listing.php: $sql = "update stat_log_client_". $log_month." set
stat/stat_asp.php:    $sql = "update stat_log_asp_". $log_month." set
stat/stat_asp.php:    $sql = "update stat_log_client_". $log_month." set
stat/stat_asp.php:    $sql = "update stat_log_banner_". $log_month." set
stat/stat_asp.php:    $sql = "update stat_log_item_". $log_month." set
stat/stat_listing.php: $sql = "update stat_log_client_". $log_month." set
stat/stat_listing.php: $sql = "update stat_log_listing_". $log_month." set
stat/stat_rs.php:    $sql = "update stat_log_". $log_month." set
stat/stat_rs.php:    $sql = "update stat_log_". $log_month." set
stat/stat_rs_asp.php: $sql = "update stat_log_asp_". $log_month." set
stat/stat_rs_asp.php: $sql = "update stat_log_asp_". $log_month." set
stat/stat_rs_listing.php: $sql = "update stat_log_listing_". $log_month." set
```

macbook:aff haltyt\$ grep -R UPDATE stat | grep stat_log

```
stat/stat.php:      $sql_indirect = "UPDATE stat_log_". $log_month." set
stat/stat.php:      $sql_indirect = "UPDATE stat_log_asp_". $log_month." set
stat/stat.php:      $sql_indirect = "UPDATE stat_log_listing_". $log_month." set
stat/stat_asp.php:    $sql_indirect = "UPDATE stat_log_". $log_month." set
```

```
stat/stat_asp.php:          $sql_indirect = "UPDATE stat_log_asp_". $log_month." set
stat/stat_asp.php:          $sql_indirect = "UPDATE stat_log_listing_". $log_month." set
stat/stat_listing.php:      $sql_indirect = "UPDATE stat_log_". $log_month." set
stat/stat_listing.php:      $sql_indirect = "UPDATE stat_log_asp_". $log_month." set
stat/stat_listing.php:      $sql_indirect = "UPDATE stat_log_listing_". $log_month." set
```

```
macbook:aff haltyt$ grep -R update admin | grep stat_log
admin/www/content/search/log_reset.php:      $tsql = "update stat_log_media_ $month set
admin/www/content/search/log_reset_asp.php:    $tsql = "update stat_log_client_ $month set
admin/www/content/search/log_reset_listing.php: $tsql = "update stat_log_client_ $month set
admin/www/log/csv_cost_update_db.php:        $tsql = "update stat_log_". $admit_month." set
admin/www/log/csv_cost_update_db.php:        $tsql = "update stat_log_". $admit_month." set
admin/www/log/csv_cost_update_db.php:        $tsql = "update stat_log_media_". $admit_month." set
admin/www/log/csv_cost_update_db.php:        $tsql = "update stat_log_media_". $admit_month." set
admin/www/log/csv_cost_update_db.php:        $tsql = "update stat_log_asp_". $admit_month." set
admin/www/log/csv_cost_update_db.php:        $tsql = "update stat_log_asp_". $admit_month." set
admin/www/log/csv_cost_update_db.php:        $tsql = "update stat_log_client_". $admit_month." set
admin/www/log/csv_cost_update_db.php:        $tsql = "update stat_log_client_". $admit_month." set
admin/www/log/csv_cost_update_db.php:        $tsql = "update stat_log_banner_". $admit_month." set
admin/www/log/csv_cost_update_db.php:        $tsql = "update stat_log_banner_". $admit_month." set
admin/www/stat/content/csv_resign_db.php:      $tsql = "update stat_log_asp_". $resign_month." set
admin/www/stat/content/csv_resign_db.php:      $tsql = "update stat_log_". $resign_month." set
admin/www/stat/resign_convert_db.php:         $sql2 = "update stat_log_asp_". $resign_month." set
admin/www/stat/resign_convert_db.php:         $sql2 = "update stat_log_". $resign_month." set
```

#10 - 2013/09/12 01:48 - 山本 義治
- ステータスを新規から進行中に変更

#11 - 2013/09/12 04:18 - 山本 義治

残作業

stat/stat_rs*
admin/www/以下の退会処理系

#12 - 2013/09/12 10:50 - 山本 義治

9/12(木)作業リスト

チケット#1 #2

- VPS:DB:stat_log系テーブル複合ユニークキーの設定
- テスト環境:クリック、登録、承認、否認、退会一連の動作テスト (stat系テーブルへ正しく反映されるか確認)
- テスト環境:ログ出力系プログラムの改修 (テスト環境1,2へのログ同時書き出し)
- 本番環境:DBをダンプ VPS:DBへ適用
- 本番環境:ログ出力系プログラムの適用 (本番、テスト環境へのログの書き出し)

#13 - 2013/09/12 11:33 - 山本 義治

テスト用URL

クリック

<http://web1.i-generation.jp:8000/action/click.php?c=1040&m=618&i=1495&guid=ON>
<http://web2.i-generation.jp:8000/action/click.php?c=1040&m=618&i=1495&guid=ON>
http://web1.i-generation.jp:8000/action/click_asp.php?cid=1040&asid=192&gid=1495&guid=ON
http://web2.i-generation.jp:8000/action/click_asp.php?cid=1040&asid=192&gid=1495&guid=ON
http://web1.i-generation.jp:8000/action/click_listing.php?cid=1040&lid=8&kid=14212&guid=ON
http://web2.i-generation.jp:8000/action/click_listing.php?cid=1040&lid=8&kid=14212&guid=ON

登録

<http://web1.i-generation.jp:8000/action/conversion.php?c=1040&a=アフィリエイトID&u=1&p=成果ID>
<http://web2.i-generation.jp:8000/action/conversion.php?c=1040&a=アフィリエイトID&u=1&p=成果ID>

承認、否認 (管理画面)

<http://i-generation.jp:8000/merchant/admit/index.php>
http://web1.i-generation.jp:8000/admin/stat/content/report.php?c_id=01040

退会

<http://web1.i-generation.jp:8000/action/resign.php?c=01040&a=アフィリエイトID>
<http://web2.i-generation.jp:8000/action/resign.php?c=01040&a=アフィリエイトID>

退会解除 (管理画面)

http://web1.i-generation.jp:8000/admin/stat/content/report.php?c_id=01040

#14 - 2013/09/12 22:53 - 山本 義治

テストリリース

/www/aff_test_new/stat/stat.php

/www/aff_test_new/stat/stat_am.php

/www/aff_test_new/stat/stat_am_asp.php

/www/aff_test_new/stat/stat_am_listing.php

/www/aff_test_new/stat/stat_asp.php

/www/aff_test_new/stat/stat_listing.php

/www/aff_test_new/stat/stat_rs.php

/www/aff_test_new/stat/stat_rs_asp.php

/www/aff_test_new/stat/stat_rs_listing.php

/www/aff_test_new/admin/www/stat/content/report.php

/www/aff_test_new/admin/www/stat/content/csv_action_admit.php

/www/aff_test_new/admin/www/stat/content/csv_action_admit_db.php

/www/aff_test_new/admin/www/stat/content/csv_resign_db.php

/www/aff_test_new/admin/www/stat/resign_convert_db.php

/www/aff_test_new/admin/www/log/csv_cost_update.inc

/www/aff_test_new/admin/www/log/csv_cost_update_db.php

/www/aff_test_new/ad/www/ac/action.php

/www/aff_test_new/ad/www/ac/resign.php

#15 - 2013/09/13 12:34 - 山本 義治

9/13(金)

IGテスト環境DBへテスト用DB作成

affの空データダンプからaff_test作成後、複合キーの追加

IGテスト環境DBの向き先をaff_testのMaster、Slaveにする

IGテスト環境のログ生成系プログラム修正

ログファイルを2つ同時生成 (aff_test/log、aff_test_new/log)

IGテスト環境での動作テスト

IGテストDB

#16 - 2013/09/13 12:34 - 山本 義治

ログファイル出力ソースリスト

```
[admin@web1 aff_test_new]$ grep -R log_file *  
ad/www/cl/click.php: $log_file = $log_path."/cl_".date("Ymd")."_"$log_time.".log";  
ad/www/cl/click_asp.php: $log_file = $log_path."/cl_asp_".date("Ymd")."_"$log_time.".log";
```

```
ad/www/cl/click_app.php: $log_file = $log_path."/cl_".date("Ymd")."_".$log_time.".log";
ad/www/cl/click_listing.php: $log_file = $log_path."/cl_listing_".date("Ymd")."_".$log_time.".log";
ad/www/ac/resign.php: $log_file = $log_path."/rs_asp_".date("Ymd")."_".$log_time.".log";
ad/www/ac/action.php: $log_file = $log_path."/ac_asp_".date("Ymd")."_".$log_time.".log";
admin/www/stat/content/csv_action_admit_db.php: $log_file = $log_path."/am_asp_".date("Ymd")."_".$log_time.".log";
user/www/merchant/admit/csv_admit.php: $log_file = $log_path."/am_asp_".date("Ymd")."_".$log_time.".log";
user/www/merchant/admit/admit_ok.php: $log_file = $log_path."/am_asp_".date("Ymd")."_".$log_time.".log";
user/www/merchant/admit/admit_ng.php: $log_file = $log_path."/am_asp_".date("Ymd")."_".$log_time.".log";
```

#17 - 2013/09/13 23:18 - 山本 義治

[web1:aff_test_new]

```
/www/aff/lib/util.lib
/www/aff/stat/stat*.php
```

ログローテートのタイミングでaff_test_new2へログコピー

[web1:aff_test_new2]

```
/www/aff_test_new2/stat/stat*.php
```

改修したstatで集計

#18 - 2013/09/13 23:42 - 山本 義治

<http://i-generation.jp:8000/action/click.php?c=1050&m=619&guid=ON>

http://i-generation.jp:8000/action/click_asp.php?cid=1050&asid=192&af=##AFF_ID##&acid=##ASP_CID##&ainfo=##ASP_INFO##&guid=ON

http://i-generation.jp:8000/action/click_listing.php?cid=1050&lid=8&kid=14212&guid=ON

<http://i-generation.jp:8000/action/conversion.php?c=1050&u=1&p=1>

<http://i-generation.jp:8000/action/resign.php?c=1050&a=>

#19 - 2013/09/17 14:48 - 山本 義治

ログ2重書き込みテストソース適用手順

(1) 本番環境DBのダンプをテスト環境DBへコピー
aff aff_test2

(2) テスト環境DBへ定義変更適用
alter table stat_log_201309 add unique(stat_date,m_id,c_id,item_id,p_id);
...

(3) テスト環境DBの翌月分集計テーブル作成CRON手動実行
/usr/local/mysql/aff_test/cron/create_stat_log_*

(4) テスト環境集計ログファイルを手動消去

(5) 本番環境、テスト環境の集計CRON停止

(6) 本番環境へソース適用

- テスト環境へログコピー

```
/www/aff/lib/util.lib
```

```
function log_rotate2($log_file,$no){
global $SERVER_PATH,$SERVER_PATH2;
```

```
if($no == "1")
$src_file = $log_file;
else
$src_file = $log_file.($no-1);

$dst_file = $log_file.$no;

if(file_exists($dst_file))
log_rotate($log_file,$no+1);

if($no == "1"){
$dst_file2 = str_replace($SERVER_PATH,$SERVER_PATH2,$log_file);
if(!file_exists($dst_file2)){
recursive_mkdir(dirname($dst_file2));
copy($src_file,$dst_file2);
}
}
rename($src_file,$dst_file);
}
```

/www/aff/set/server.inc

```
| $SERVER_PATH2 = "/www/aff_test_new2";
```

/www/aff/stat/stat.php
/www/aff/stat/stat_esp.php
/www/aff/stat/stat_listing.php
/www/aff/stat/stat_am.php
/www/aff/stat/stat_am_esp.php
/www/aff/stat/stat_am_listing.php
/www/aff/stat/stat_rs.php
/www/aff/stat/stat_rs_esp.php
/www/aff/stat/stat_rs_listing.php

```
| log_rotate2($log_file,1);
```

(7) 本番環境集計CRON手動実行
/www/aff/stat/stat*

(8) テスト環境集計CRON手動実行
/www/aff_test_new2/stat/stat*

(9) 本番環境、テスト環境とも動作確認

#20 - 2013/09/24 19:36 - 山本 義治

- 進捗% を 50 から 80 に変更

ログ2重書き込みテストソース適用完了

#21 - 2013/09/24 19:37 - 山本 義治

/www/aff/stat/stat.php
/www/aff/stat/stat_esp.php
/www/aff/stat/stat_listing.php
/www/aff/stat/stat_rs.php
/www/aff/stat/stat_rs_esp.php
/www/aff/stat/stat_rs_listing.php

stat_am系はソース改修済みのため適用外

#22 - 2013/09/25 16:06 - 山本 義治

```
select stat_date,asp_id,c_id,item_id,p_id,count(stat_log_id) as cnt,
sum(pv_count_pc)+sum(action_click_count_pc)+sum(click_count_pc)+sum(click_unique_count_pc)+sum(action_count_pc)+sum(admit_count_pc)+sum(cancel_count_pc)+sum(click_cost_pc)+sum(click_cost_cl_pc)+sum(action_cost_pc)+sum(action_cost_cl_pc)+sum(resign_count_pc)+sum(this_month_resign_count_pc) as pc,
sum(pv_count_d)+sum(action_click_count_d)+sum(click_count_d)+sum(click_unique_count_d)+sum(action_count_d)+sum(admit_count_d)+sum(cancel_count_d)+sum(click_cost_d)+sum(click_cost_cl_d)+sum(action_cost_d)+sum(action_cost_cl_d)+sum(resign_count_d)+sum(this_month_resign_count_d) as d,
sum(pv_count_v)+sum(action_click_count_v)+sum(click_count_v)+sum(click_unique_count_v)+sum(action_count_v)+sum(admit_count_v)+sum(cancel_count_v)+sum(click_cost_v)+sum(click_cost_cl_v)+sum(action_cost_v)+sum(action_cost_cl_v)+sum(resign_count_v)+sum(this_month_resign_count_v) as v,
sum(pv_count_e)+sum(action_click_count_e)+sum(click_count_e)+sum(click_unique_count_e)+sum(action_count_e)+sum(admit_count_e)+sum(cancel_count_e)+sum(click_cost_e)+sum(click_cost_cl_e)+sum(action_cost_e)+sum(action_cost_cl_e)+sum(resign_count_e)+sum(this_month_resign_count_e) as e,
sum(pv_count_i)+sum(action_click_count_i)+sum(click_count_i)+sum(click_unique_count_i)+sum(action_count_i)+sum(admit_count_i)+sum(cancel_count_i)+sum(click_cost_i)+sum(click_cost_cl_i)+sum(action_cost_i)+sum(action_cost_cl_i)+sum(resign_count_i)+sum(this_month_resign_count_i) as i,
sum(pv_count_a)+sum(action_click_count_a)+sum(click_count_a)+sum(click_unique_count_a)+sum(action_count_a)+sum(admit_count_a)+sum(cancel_count_a)+sum(click_cost_a)+sum(click_cost_cl_a)+sum(action_cost_a)+sum(action_cost_cl_a)+sum(resign_count_a)+sum(this_month_resign_count_a) as a
from stat_log_asp_201309
where stat_date = '2013-09-25'
group by stat_date,asp_id,c_id,item_id,p_id order by cnt desc ,stat_date,asp_id,c_id,item_id,p_id
```

#23 - 2013/09/27 12:36 - 山本 義治

ログファイル数差分チェック

```
ll /www/aff/log/2013/20130926/cl_asp_20130926_00* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_00* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_01* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_01* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_02* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_02* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_03* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_03* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_04* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_04* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_05* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_05* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_06* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_06* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_07* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_07* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_08* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_08* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_09* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_09* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_10* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_10* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_11* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_11* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_12* | grep -c ""
```



```
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_12* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_13* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_13* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_14* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_14* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_15* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_15* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_16* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_16* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_17* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_17* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_18* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_18* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_19* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_19* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_20* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_20* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_21* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_21* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_22* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_22* | grep -c ""
ll /www/aff/log/2013/20130926/cl_asp_20130926_23* | grep -c ""
ll /www/aff_test_new2/log/2013/20130926/cl_asp_20130926_23* | grep -c ""
```

#24 - 2013/10/15 14:37 - 山本 義治

本番リリース

(1) aff_test_new2のソースをaff_test_newへ反映

```
/www/aff_test_new2/lib/util.lib
/www/aff_test_new2/lib/db.lib
/www/aff_test_new2/stat/stat.php
/www/aff_test_new2/stat/stat_asp.php
/www/aff_test_new2/stat/stat_listing.php
/www/aff_test_new2/stat/stat_rs.php
/www/aff_test_new2/stat/stat_rs_asp.php
/www/aff_test_new2/stat/stat_rs_listing.php
```

stat_am系はチケット#2の確認待ちのためリリースしない

(2) 本番環境DBバックアップ

```
mysqldump -u root -p aff --lock-tables=false > aff.dump.20131017
```

(3) 本番環境DBへ定義変更適用

```
alter table stat_log_201310 add unique(stat_date,m_id,c_id,item_id,p_id);
alter table stat_log_asp_201310 add unique(stat_date,asp_id,c_id,item_id,p_id);
alter table stat_log_media_201310 add unique(stat_date,m_id);
alter table stat_log_client_201310 add unique(stat_date,c_id);
alter table stat_log_listing_201310 add unique(stat_date,listing_id,c_id,keyword_id,p_id);
alter table stat_log_banner_201310 add unique(stat_date,c_id);
alter table stat_log_item_201310 add unique(stat_date,m_id,asp_id,c_id,item_id);
alter table stat_log_shop_201310 add unique(stat_date,m_id,c_id,shop_id);
```

(4) 本番環境DBの翌月分集計テーブル作成CRON変更

```
/usr/local/mysql/aff
create_stat_log_YYYYMM.php
create_stat_log_asp_YYYYMM.php
create_stat_log_banner_YYYYMM.php
create_stat_log_client_YYYYMM.php
create_stat_log_item_YYYYMM.php
create_stat_log_listing_YYYYMM.php
create_stat_log_media_YYYYMM.php
create_stat_log_shop_YYYYMM.php
```

(5) 本番環境DBの翌月分集計テーブル作成CRON手動実行

(6) 本番環境web1,web2の集計CRON停止

(7) aff_test_newのソースを本番環境へ適用

/www/aff_test_new/lib/util.lib

/www/aff_test_new/lib/db.lib

/www/aff_test_new/stat/stat.php

/www/aff_test_new/stat/stat_asp.php

/www/aff_test_new/stat/stat_listing.php

/www/aff_test_new/stat/stat_rs.php

/www/aff_test_new/stat/stat_rs_asp.php

/www/aff_test_new/stat/stat_rs_listing.php

(8) 各ソースヘッダ部パス変更

```
| require("/www/aff_test_new/ad/const.inc");
```

(9) 本番環境web1,web2の集計CRON手動実行してエラーがないことを確認

(10) 本番環境web1,web2の集計CRON再開

(11) aff_test_new2:web1,web2の集計CRON停止

(12) 動作確認 (クリック、登録、承認・否認、退会)

#25 - 2013/10/17 14:55 - 山本 義治

- ファイルstatロク?重複レコード?調整_20131015.txt を追加

stat系テーブルの既存の重複データ手動削除

#26 - 2013/10/17 18:37 - 山本 義治

- 期日を 2013/09/11 から 2013/10/17 に変更

- ステータスを 進行中 から 終了 に変更

- 進捗% を 80 から 100 に変更

ファイル

statロク?重複レコード?調整_20131015.txt	23.41 KB	2013/10/17	山本 義治
-------------------------------	----------	------------	-------